Accessories/by John Planck

JOHN **PLANCK** Ltd
architectural hardware

Accessories

Often overlooked, the accessories are crucial in ensuring the door plays its full role. Hooks for coats on the rear of a toilet door, door stops to prevent wall damage from handles, cabin hooks to prevent wind-assisted door swing, bolts, chains and viewers for additional security. Don't forget the finishing touches!

Icons

- Overall height
- Overall length or width
- Diameter
- Projection from the face of the door

Finishes

BJ	Black Japanned
BMA	Bronze Metal Antique
EB	Electro Brassed
EPB	Electro Brass Plate
FBB	Fusion Bead Blasted
Galv	Galvanised
IBMA (IB)	Imitation Bronze Metal Antique
PB	Polished Brass
PCP	Polished Chrome Plated
PCW	Powder Coated White
PSS	Polished Stainless Steel
PVD Brass	Physical Vapour Deposit
SAA	Satin Anodised Aluminium
SSS	Satin Stainless Steel
SCP	Satin Chrome Plated
SE	Silver Enamelled
SNP	Satin Nickel Plated
WE	White Enamelled
ZP	Zinc Plated

Accessories Glossary

The Accessories section covers a wide range of items required to co-ordinate and complete the specification of the door or its wider environment.

On-door items include:
Bolts and sockets
Hooks
Indicators bolts
Letter plates
Chains
Door viewers
Numerals
Knockers
Vents
Finger protectors
Budget locks
Cylinder Pulls

Off-door items include:
Door stops
Handrail brackets,
Mailboxes

Specification Notes

Useful Information
Note that products for external use, particularly in Coastal situations, should be carefully selected for resistance to corrosion. Typically 316 Grade Stainless Steel, PVD Brass or powder coated products are the most resistant.

Standards
EN 13724 is the standard for mailboxes. This deals with aperture size, positioning, corrosion resistance, security and safety.

TS009:2012 is the security standard created by the Door and Hardware Federation for mailboxes on the outside of buildings.

HTM Health Technical Memorandum

Standards

BS EN 12051 is the standard for Door and Window Bolts.

BS476 Part 22 refers to the fire testing of building components

BES EN 1634-1 refers to the performance of timber doors

For Handrail Brackets, **Part M of Building Regulations** requires that there is a clearance of between 60 and 75mm between the handrail and any adjacent wall surface and that there is a clearance of at least 50mm between a cranked support and the underside of the handrail.

For more information on any of the above please contact us or visit our website.

Bolts and Associated Fittings Pages 3 - 5

Clothing Hooks Pages 6 - 9

Doorstops and Restrainers Pages 10 - 12

Indicator Bolts for Toilet Doors Page 12

Letter Plates Pages 13 - 14

Door Chains Page 14

Miscellaneous Pages 15 - 22

Bell Pushes
Door Knockers
Door Numerals
Handrail Brackets
Finger Protection
Door Signage and Door Cards
Door Viewers
Cylinder Pulls
Budget Locks
Mailbox Systems
Door Ventilation

HM8026
Lever action flush bolt

↕ 150, 203, 254, 305, 475, 609, 762, 914mm (Longer lengths available)
↔ 19, 25mm ⊘ 11mm (bolt)

SAA PB SCP PCP SNP PNP SSS IB SB

HM8301 Extended throw
HM8302 Cross strap

AS

HM8027K
Knob slide flush bolt

↕ 152, 229, 305mm
↔ 25mm ⊘ 11mm (bolt)

SAA PB SCP PCP SNP PNP SSS PSS IB SB

/OP To suit rebated over panel

HM8027
Sunk slide flush bolt

↕ x ↔ 76x13, 102x16mm ⊘ 7mm (bolt)
150x19mm ⊘ 10mm (bolt)
150x25, 229x25, 300x25mm ⊘ 11mm (bolt)

PB SCP PCP SNP PNP IB SB

HM8303
Auto flush bolt

↕ 216mm
↔ 25mm (51mm deep)

ZP SCP

HM8028
Easiclean floor socket

SAA PB SCP PCP IB

HM8029
Dust excluding socket
_/A to suit 11mm bolt.
_/B to suit 13mm bolt.

PB SCP PCP SNP PSS IB

HM8062
Knob slide surface bolt
102, 150, 203, 254mm 36mm

PB SCP PCP IB

HM8075
Transom bolt
For pairs of rebated doors. Automatically releases the inactive leaf when the active leaf is opened
255MM 30mm x 30mm (depth)

SCP PCP PB BMA

CM3208
Mortice security rack bolt
Option Rad F/E

SCP PCP PB WE EB

HM8022 Straight barrel bolt
25mm 50, 63, 76, 100, 150mm
32, 38mm 100, 150, 200, 250, 300mm

HM8023 Necked barrel bolt
25mm 75, 100, 150mm

SAA SCP SSS PSS PCP BMA PB



HM8030
Straight tower bolt
75, 100, 127, 152, 203, 254, 300mm

Galv BJ



HM8031
Necked tower bolt
100, 152, 203mm

Galv BJ

HM8036
Bow handle bolt

300, 380, 450, 600, 750, 900mm
with 16mm shoot

Galv BJ

HM8037
Monkey tail bolt

300, 380, 450, 600, 780, 900mm
with 16mm shoot

Galv BJ

HM8042
Foot operated bolt

210mm

Galv BJ

HM8041
Garage door bolt

300, 380, 450, 600, 760, 910mm

Galv BJ

HM8045
Easiclean floor socket HD

13, 16, 20mm

Galv



HM8033
Brenton pad bolt

150, 200, 250, 300mm

Galv

MG8904
Steel tech robe hook
⌀ 57mm P 60mm
SSS PSS



MG8140 Robe hook
MG8141 Buffered robe hook
⌀ 45mm P 52mm
SSS PSS

MG5004
Coat hook
⌀ 38mm ↔ 105mm P 60mm
SSS PSS

HM8304
Buffered hat and coat hook
PCP SCP PB BMA

Q3012
Quadra Hook
↔ 22.5mm ↕ 36mm P 36mm
SSS PSS

1000
Hook
N1000 ⌀ 16mm P 40mm
N1000-1 ⌀ 16mm P 65mm
Prefix reference with 'N' for SSS or 'O' for PSS finish

FROST

1127
⌀ 16mm P 35mm

1128
⌀ 20mm P 60mm

Prefix reference with 'N' for SSS or 'O' for PSS finish

FROST

N1904
Swivel Hook
C 1000mm (4 hooks)
N1904-1 C 200mm (3 hooks)
N1904-2 C 150mm (2 hooks)
N1904-3 C 100mm (3 hooks)

SSS PSS BLK WHT LIME GREEN

HM8329
⌀ 18mm, 25mm rose P 35mm
Secret fixing screw (supplied)

SSS

FROST

1901-1
⌀ 16mm P 27mm

1901-2
⌀ 25mm P 50mm

Prefix reference with 'N' for SSS or 'O' for PSS finish

FROST

1131
Hookrack with 3 hooks
345mm 103mm P 91mm C 300mm

Prefix reference with 'N' for SSS or 'O' for PSS finish

FROST

1124
⌀ 25mm P 30mm

Prefix reference with 'N' for SSS or 'O' for PSS finish

HM8095
Hat and coat hook
105mm P 76mm
SAA (cast)

HM8095a
Coat hook
47mm P 41mm
SAA (cast)



HM8095b
Buffered hat and coat hook
105mm P 76mm
SAA (cast)

HM8087
Buffered coat hook
38mm P 22mm
SSS PSS

HM8086
Hat and coat hook
90mm P 68mm
SSS PSS

HM8088
Coat hook
63mm P 30mm
SSS PSS

HM8090
Hat and coat hook (economy)
↔ 127
SAA SCP PB BMA

HM8089
Coat hook (economy)
↔ 50
SAA PB

HM8093
Hat and coat hook
↔ 150mm P 76mm
PCP SCP PB BMA

HM8093E
Hat and coat hook (economy)
↔ 150mm P 76mm
EB PCP SCP

HM8092
Double coat hook
↔ 38mm P 78mm
PCP SCP EB

HM8091
Single coat hook
↔ 38mm P 38mm
PCP SCP PB BMA

MG8143
Projecting door stop
75mm
PSS SSS BMA



Projecting door stop
HM8003 with rose
HM8009 without rose
50, 65, 75mm
SAA PAA PSS SSS PB

MG8142
Floor mounted door stop
52mm
SSS PSS BMA

HM8999
Floor mounted door stop
Dome top
38mm 30mm
SSS PSS PB

HM8006
Floor mounted door stop
Flat top
30, 35, 47mm 42mm
SAA PAA SSS PSS PB BMA

HM8001
Floor mounted door stop
Oval
44mm 51mm
SAA SCP PCP SSS PSS SNP PB BMA

HM8002
Floor mounted door stop
Shielded
⌀ 38mm

SAA SCP PCP PB BMA

HM8000
Rubber door stop
⌀ 35, 25mm

Black White

HM8019 Cabin hook - silent pattern
↔ 76, 100, 150, 200, 250, 300mm

SCP PCP SSS PSS SNP PB BMA

HM8018 Cabin hook - economy pattern
↔ 76, 102, 152, 203, 305, 381mm

BJ SCP PCP PB BMA Electro Galv

HM8010
Floor mounted door stop and holder
↕ 44mm ↔ 160mm

PCP SCP PB SB IB BMA

HM8011
Door holder - foot operated
↕ 133mm ↔ 57mm

SCP PCP SSS BMA EPB

HM8012
Door holder - gravity operated
↕ 44mm ↔ 160mm

SCP PCP PB BMA

HM8013
Counter flap catch

SCP PCP PB BMA



HM8067
Indicator bolts

PCP SCP SAA EB PB

HM8068
Indicator bolts

Bolt ↕ 40mm ↔ 60mm

Indicator ↕ 61mm ↔ 42mm

PCP SCP SNP SSS EB BMA



HM8069
Indicator bolt

Bolt ↕ 36mm ↔ 60mm P 34mm

Indicator ↕ 40mm ↔ 55mm

SAA



HM8070
Indicator bolts

Bolt ↕ 40mm ↔ 60mm

Indicator ↕ 50mm ↔ 50mm

PCP SCP SNP PNP EB PB BMA



HM6029
Facility indicator bolt

For hinged or sliding doors

PCP GAA SAA

HM8096
Plain letter plate
Overall dimension:
↔ x ↕ 200x75, 250x80, 300x103, 359x113, 402x124mm

SAA PAA SSS PSS PB



HM8100
Plain letter plate
Gravity flap:
↔ x ↕ 275x75mm

PCP SCP SAA PB

HM8305
Postal letter plate
↔ x ↕ 250x80mm

PCP SCP PB

HM8099
Inner flap
Various sizes to suit letter plates
Flat faced or rounded

PCP SCP PB

HM8306
Letter plate
↔ x ↕ 330x110

SSS

HM8098
Inner flap
↔ x ↕ 330x110mm

SSS

HM8103 Sleeved letter plate
HM8104 Intumescent sleeved letter plate
FR30, FR60
To suit door thickness: 42-47, 47-52, 52-57mm
↔ x ↕ 310x80mm overall with 270x60mm aperture
Galv SA PCB PCW PSS SSS

HM8101
Letter cage
↕ x ↔ x P 353x255x153, 457x330x203mm
WHITE SE EB

HM8998
Door chain
PVD PCP SCP PB FB

HM8082
Concealed door chain
spring loaded
SCP PCP EB

HM8080
Door chain
PB SCP PCP PB EB

HM8307
Door guard
SCP PCP EB

HM8308
Bell push
↕ x ↔ 60x30mm

PB PCP SCP

HM8110
Bell push
↕ x ↔ 76x30mm

SAA PAA SSS PSS PB PCP SCP

HM8111/16
Door viewer
160 deg.
To suit door thickness 35-54mm

PCP EB SCP

HM8111/18
Door viewer
180 deg.
To suit door thickness 35-54mm

PCP EB SCP

Door viewer
200 deg.
To suit door thickness 35-60mm.
Extension piece available to suit thicker doors

HM8111/FR30 Fire rated 30 mins
HM8111/FR60 Fire rated 60 mins

PCP SCP EB IB

HM8309
Door knocker
↕ 160mm

SSS PSS PB SCP PCP PVD

AM1242
Door knocker
Urn type:
↕ 202mm
PCP SCP FB PB

HM8310
Door knocker
Round type:
Ring ⌀ 134mm
Fixing Plate ⌀ 78mm
Strike Plate ⌀ 35mm
PCP SCP PB

AM1246
Cylinder pull
Option
/EP Euro profile
SCP PCP PVD PSS SSS PB

HM8311
Cylinder pull
SCP PCP FB PVD PB

HM8081 Lettering - traditional font
HM8312 Lettering - modern font
↕ 50, 60, 76, 100mm
Concealed or face fixing
SSS PSS PCP SCP

HM8081 Numerals - traditional font
HM8312 Numerals - modern font
↕ 50, 60, 76, 100mm
Concealed or face fixing
SSS PSS PCP SCP

HM8313
Budget lock ferrule escutcheon
↕ x ↔ 14x20mm
SSS

HM8314
Budget lock ferrule escutcheon covered
↕ x ↔ 14x20mm
SSS



HM8315
Budget lock key
Captive and standard
BZP

HM8316
Budget lock escutcheon
Flatplate
BZP

HM8317
Mortice budget lock strike
BZP

HM8318
Rim budget lock strike
BZP

HM8319
Budget lock ferrule escutcheon

BZP

HM8320
Budget lock sprung escutcheon

SCP PCP

HM8321
Rim budget lock

BZP

HM8322
Mortice budget lock

BZP

HM8323
Modern handrail bracket
Concealed fixing
x 75x50mm

PB PCP SCP PSS SSS

HM8148
Traditional handrail bracket
65 or 75mm projection

SAA PB SCP BMA Grey
White BJ

HM8324
Individual mailboxes
Horizonal or Vertical (Shown)

Many Sizes & Finishes Available

including SSS & COLOURED

HM8102
Mailbox systems

Options:
Engraving
Colours
Surround
Framing
Support
Master Keyed

Many sizes and finishes available including SSS & SAA

Please contact us with your project requirements for a full specification.

HM8325
Heavy Duty Finger Protector

1925mm
Black fabric with either White, Silver or Bronze housing

HM8326
Finger Protector

Available in colours, for front and rear of door

Options
/a - Front of door
/b Rear of door

WHITE, GREY, BLACK, BEIGE, BEECH, BROWN, BLUE, RED, TEAK, YELLOW

HM8327

HM8328



HM8327
Louvred Vent Plate

100, 150, 200, 250, 300, 350, 400, 450, 500mm
Square, Rectangular or Circular

SILVER or COLOURED (to order)

HM8328
Intumescent Block

50, 100, 150, 200, 250, 300, 350, 400, 450mm

BS 476: Part 22
30 or 60 Minute Fire Rated



Door vent
HM8112 Slotted
HM8115 Louvred

75, 150, 225, 300mm
Square or Rectangular

PB PCP SCP SAA BMA SSS

HM8216
76mm circular door signage
Drilled and countersunk

SSS PSS PB SAA IB

Option
/A - self adhesive

HM8214

HM8210

HM8208

HM8521

HM8520

HM8220

HM8212

HM8523

HM8225

HM8226

HM8224

HM8225S

80mm square door signage
Drilled and countersunk

SSS PSS PB SAA IB

Option
/A - self adhesive

HM8228

HM8227

HM8229

HM8228S

Tactile/Braille signage
_ _ _ / T
For tactile only, omit / T
To RNIB guidance and equality act 2010
Drilled and countersunk

SSS PSS PB SAA IB

Option
/A - self adhesive

HM8211/T

HM8209/T

HM8524/T

HM8221/T

HM8217/T

HM8213/T

HM8215/T

We cannot guarantee the adhesion of self-adhesive signage as it is dependent upon the surface to which the signage is fixed.

Fire exit, running man with arrow signage
To BS5499:ISO7010

HM8503 - Up
HM8504 - Down
HM8505 - Left
HM8506 - Right

_ _ _/P = Photoluminescent

HM8513
Fire exit keep clear
Internal facing

A - 600 x 200mm
B - 300 x 100mm

HM8515
Push pad to open sign
Internal facing

A - 600 x 100mm
B - 300 x 50mm

HM8516
Push bar to open sign
Internal facing

A - 600 x 100mm
B - 300 x 50mm

HM8140
Card frame

A - 67 x 50mm
B - 100 x 75mm
C - 133 x 100mm

HM8141
Card frame

A - 100 x 50mm
B - 150 x 75mm
C - 200 x 160mm

SAA PAA SSS PSS PB

HM8530
HTM Fire Door discs
1.5mm PVC, self adhesive (option for screw fix)

A - FD30
B - FD30S
C - FD60
D - FD60S

Please specify colour

JOHN **PLANCK** Ltd
architectural hardware

John Planck Limited
Slip 7 Annexe,
The Historic Dockyard,
Chatham
Kent
ME4 4TZ
T : +44 (0) 1634 829 249
F : +44 (0) 1634 829 460
info@johnplanck.co.uk
www.johnplanck.co.uk

V1.1